

Dr. Duke's Phytochemical and Ethnobotanical Databases

List of Plants for TRANS-SABINENE-HYDRATE

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Artemisia salsolooides</i>	Shoot		2150.0	4.8659688223596325	V. Kaul, P. Weyerstahl, H. Wahlberg, H. Marschall, (1992); Volatile constituents of the essential oil and the absolute of <i>Artemisia salsolooides</i> Willd. from Ladakh, Flavour and Fragrance journal, Vol.7, 299-305.
<i>Origanum majorana</i>	Plant	30.0	1850.0	3.431164061315594	--
<i>Elettaria cardamomum</i>	Fruit	875.0	2500.0	1.9988936839515734	--
<i>Salvia officinalis</i>	Leaf	10.0	56.0	1.6793837527948157	Duke, J. A. Writeups or information summaries on approximately 2,000 economic plants, USDA, ARS, Beltsville, MD 20705.
<i>Rosmarinus officinalis</i>	Shoot Essent. Oil		14400.0	1.0	--
<i>Myristica fragrans</i>	Seed	60.0	480.0	1.0	--
<i>Myristica fragrans</i>	Seed Essent. Oil	3000.0	8000.0	1.0	--
<i>Origanum majorana</i>	Leaf Essent. Oil		60000.0	1.0	--
<i>Origanum majorana</i>	Essential Oil		51000.0	1.0	--
<i>Hyssopus officinalis</i>	Leaf	1.0	40.0	0.9276212415517329	--
<i>Micromeria teneriffae</i>	Leaf		35.0	0.6926954567882695	Kirimer, N., Ozek, T., and Baser, K.H.C. 1991. Composition of the Essential Oil of <i>Micromeria congesta</i> . J. Ess. Oil Res., 3: 387-393.
<i>Pycnanthemum loomisii</i>	Shoot	66.0	168.0	0.0942782061210412	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Monarda fistulosa</i>	Plant	1.0	217.0	0.048597800626973886	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus cilicus</i>	Shoot		145.0	0.038905408858938464	Tumen, G., Koyuncu, M., Kirimer, N., and Baser, K.H.C. 1994. Composition of the Essential Oil of <i>Thymus cilicus</i> Boiss. & Bal. J. Ess. Oil Res. 6: 97-8.
<i>Origanum syriacum</i>	Shoot		120.0	-0.021282414252042765	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. J. Ess. Oil Res. 3: 121-123.
<i>Origanum vulgare</i>	Plant		165.0	-0.0591140460085486	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. J. Ess. Oil Res., 5: 425-431.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Thymus funkii	Shoot		90.0	-0.09350780198522038	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Thymus funkii	Shoot		90.0	-0.09350780198522038	Vila, R., et al. 1995. Composition and study of the variability of the essential oil of Thymus funkii Cousson. Flav. & Fragr. J. 10(6): 379-383.
Mentha longifolia	Shoot	1.0	80.0	-0.11758293122961287	Fleisher, Z. and Fleisher, A. 1991. The Essential Oils from Mentha longifolia Growing in Sinai and Israel. J. Ess. Oil Res., 3: 57.
Lavandula x hybrida	Shoot	47.0	75.0	-0.12962049585180913	Tucker, A.O., Maciarello, M.J., Angell, S., Espaillat, J.R., and French, E.C. 1993. The Essential Oil of Lavandula x hybrida Balb. ex Ging., a Distinct Hybrid from L. x heterophylla Poir. (Labiatae). J. Ess. Oil Res. 5: 443-445.
Satureja cilicica	Shoot		70.0	-0.14165806047400537	Tumen, G. Baser, K.H.C. and Kirimer, N. 1993. The Essential Oil of Satureja cilicica P.H. Davis. J. Ess. Oil Res. 5: 547-548.
Micromeria varia	Shoot		60.0	-0.16573318971839784	Pedro, L.G., et al. 1995. Composition of the Essential oil of Micromeria varia Benth. ssp. thymoides (Sol. ex Lowe) Perez var. thymoides, and endemic species of the Madeira Archipelago. flav. & Fragr. J. 10(3): 199-202.
Micromeria varia	Shoot		60.0	-0.16573318971839784	--
Thymus mastichina	Plant	80.0	110.0	-0.17304003764227432	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Nepeta racemosa	Shoot		22.0	-0.2572186808470893	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.
Nepeta racemosa	Shoot		22.0	-0.2572186808470893	Baser, K.H.C., Ozek, T., Akgul, A. and Tumen, G. 1993. Composition of the Essential Oil of Nepeta racemosa Lam. J. Ess. Oil Res. 5: 215-7.

Plant	Part	Low PPM	High PPM	StdDev	Reference
Calamintha nepeta	Shoot		17.0	-0.26925624546928556	Kirimer, N., Baser, K.H.C., Ozek, T. and Kurkcuoglu, M. 1992. Composition of the Essential Oil of Calamintha nepeta subsp. glandulosa. J. Ess. Oil Res. 4:189-190
Ocimum gratissimum	Plant	5.0	60.0	-0.2766091209456613	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Thymus capitatus	Plant	30.0	60.0	-0.2766091209456613	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Elsholtzia pilosa	Shoot		12.0	-0.2812938100914818	--
Micromeria fruticosa	Shoot		10.0	-0.2861088359403603	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Micromeria fruticosa	Shoot		10.0	-0.2861088359403603	Fleisher, Z. and Fleisher, A. 1991. The Essential Oil of Micromeria fruticosa (L.) Druce subsp. barbata (Boiss et. Ky.), P.H. Davis. Aromatic Plants of the Holy Land and the Sinai. Part VII. J. Ess. Oil Res 3: 477-479.
Thymus zygis	Shoot		10.0	-0.2861088359403603	Jimenez, J., Navarro, M.C., Montilla, M.P., Martin, A. and Martinez, A. 1993. Thymus zygis Oil: Its Effects on CCl4-Induced Hepatotoxicity and Free Radical Scavenger Activity. JEO5: 153-8.
Thymus longicaulis	Shoot		5.0	-0.29814640056255653	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.
Thymus longicaulis	Shoot		5.0	-0.29814640056255653	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of Thymus longicaulis C. Presl subsp. longicaulis in the same Population. J. Ess. Oil Res. 5: 291-5.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Thymus longicaulis</i>	Shoot		0.0	-0.3101839651847528	Baser, K.H.C., Ozek, T., Kirimer, N. and Tumen, G. 1993. The Occurrence of Three Chemotypes of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> in the same Population. <i>J. Ess. Oil Res.</i> 5: 291-5.
<i>Origanum syriacum</i>	Shoot		0.0	-0.3101839651847528	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
<i>Origanum syriacum</i>	Shoot		0.0	-0.3101839651847528	Fleisher, A. & Fleisher, Z. 1991. Chemical Composition of <i>Origanum syriacum</i> L. Essential Oil. <i>J. Ess. Oil Res.</i> 3: 121-123.
<i>Origanum onites</i>	Shoot		0.0	-0.3101839651847528	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. & Frag. J.</i> 8: 331-7.
<i>Thymus capitatus</i>	Shoot		0.0	-0.3101839651847528	Biondi, D., Cianci, P., Geraci, C. and Ruberto, G. 1993. Antimicrobial Activity and Chemical Composition of Essential Oils from Sicilian Aromatic Plants. <i>Flav. & Frag. J.</i> 8: 331-7.
<i>Rosmarinus officinalis</i>	Plant		19.0	-0.36153576925443864	--
<i>Aloysia citrodora</i>	Plant	2.0	14.0	-0.3718926775847774	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Thymus x citriodorus</i>	Plant		10.0	-0.38017820424904836	Stahl-Biskup, E. and Holthuijzen, J. 1995. Essential oil and glycosidally bound volatiles of lemon-scented thyme, <i>Thymus x citriodorus</i> (Pers.) Schreb. <i>Flav. & Fragr. J.</i> 10: 225-229.
<i>Sideritis germanicolpitana</i>	Plant	3.0	4.0	-0.3926064942454548	<i>J. Essential Oil</i> , 4: 533.
<i>Origanum vulgare</i>	Plant		3.5	-0.39364218507848864	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.
<i>Origanum vulgare</i>	Plant		2.5	-0.3957135667445564	Sezik, E., Tumen, G., Kirimer, N., Ozek, T., and Baser, K.H.C. 1993. Essential Oil Composition of Four <i>Origanum vulgare</i> Subspecies of Anatolian Origin. <i>J. Ess. Oil Res.</i> , 5: 425-431.

Plant	Part	Low PPM	High PPM	StdDev	Reference
<i>Artemisia annua</i>	Plant		1.0	-0.398820639243658	--
<i>Cuminum cyminum</i>	Fruit		87.0	-0.43545971945575607	--
<i>Juniperus communis</i>	Fruit	1.0	6.0	-0.5171765141826495	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Citrus sinensis</i>	Fruit	0.0	0.1	-0.5231287251565837	--
<i>Citrus reticulata</i>	Fruit	0.0	0.1	-0.5231287251565837	--
<i>Murraya koenigii</i>	Leaf		9.0	-0.5289186239817404	--
<i>Calamintha nepeta</i>	Leaf		1.0	-0.9047998796032819	Akgul, A., De Pooter, H.L., and De Buyck, L.F. 1991. The Essential Oils of <i>Calamintha nepeta</i> subsp. <i>glandulosa</i> and <i>Ziziphora clinopodioides</i> from Turkey. <i>J. Ess. Oil Res.</i> , 3: 7-10.
<i>Elsholtzia polystachya</i>	Leaf		0.4	-0.9329909737748976	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Elsholtzia polystachya</i>	Leaf		0.4	-0.9329909737748976	Mathela,C.S., Melkani,A.B., Bisht,J.C., Pant,A.K., Bestmann,H.J., Erler,J., Kobold,U., Rauscher,J. and Vostrowsky,O. 1992. Chemical Varieties of Essential Oils from <i>Elsholtzia polystachya</i> from Two Different Locations in India. <i>Planta Medica</i> 58: 376-379.
<i>Myristica fragrans</i>	Essential Oil	3000.0	9000.0	-1.0	--
<i>Origanum vulgare</i>	Shoot Essent. Oil		1500.0	-1.0	--
<i>Cuminum cyminum</i>	Seed		87.0	-1.0	Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Salvia officinalis</i>	Leaf Essent. Oil		2000.0	-1.0	--
<i>Cuminum cyminum</i>	Seed Essent. Oil		800.0	-1.0	--
<i>Angelica archangelica</i>	Root		1.0		Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
<i>Rosmarinus officinalis</i>	Leaf Essent. Oil				--

Plant	Part	Low PPM	High PPM	StdDev	Reference
Ocimum basilicum	Plant				--
Piper nigrum	Fruit Essent. Oil		1400.0		--
Mentha spicata	Essential Oil				--
Laurus nobilis	Leaf				Lawrence, B.M., Essential Oils 1976-1977, Essential Oils 1978, Essential Oils 1979-1980.
Origanum vulgare	Plant				--
Ocimum basilicum	Essential Oil				--
Hyssopus officinalis	Flower	1.0	6.0		--
Angelica archangelica	Root Essent. Oil				--
Melaleuca alternifolia	Root Essent. Oil		4200.0		--
Piper nigrum	Fruit				--